

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2569	(connector or adaptor or adapter) with (quick and disconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 08:20
L2	1057	1 and (flange or o-ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 08:21
L3	728	2 and (seal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 08:56
L4	220	(mouthpiece with spacer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 09:40
L5	298	(128/202.27).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 09:44
L6	6787	(128/202.27,200.14-200.24,201.26,203.23,203.12,204.18,207.14).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 09:46
L7	1576	6 and mouthpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 09:46
L8	220	7 and spacer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 09:46

L9	910	7 and (connector or adaptor or adapter or coupl\$3 or spacer or fastener)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 09:47
L10	623	9 and ((air or ambinet or atmosphere or environment\$3) with (inlet or port or opening or aperture or vent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 09:48

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2569	(connector or adaptor or adapter) with (quick and disconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 08:20
L2	1057	1 and (flange or o-ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 08:21
L3	728	2 and (seal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 08:56
L4	220	(mouthpiece with spacer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 09:40
L5	298	(128/202.27).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 09:40